

How To Draw Animals by Jack Hamm

Simple, clear instructions for drawing animals with more than a thousand step-by-step illustrations. Basic fundamentals for the beginner, new principles and techniques for the professional. A detailed guide for everyone who enjoys—or wants to enjoy—drawing.

How To Draw Animals

COPYRIGHT © 1969 BY JACK HAMM

ALL RIGHTS RESERVED. THIS BOOK OR PARTS THEREOF MAY NOT BE REPRODUCED IN ANY FORM WITHOUT PERMISSION OF THE PUBLISHER

Published Simultaneously in Canada

Library of Congress Catalog Card No.: 68-12740

ISBN: 0-448-01908-6 (Trade Edition) ISBN: 0-448-03499-9 (Library Edition)

1977 PRINTING

Dedicated to
Lon Montgomery Hamm



Preface

The purpose of this book is stated in the title. The "how" of anything envolves a process. It's not enough to place finished, real-life pictures of animals in front of oneself or a student wishing to learn how to draw animals. This has some value, but it's limited. Even trips to a zoo or animal farm, though highly recommended, can leave a student perplexed unless he goes all out in repeated and extended research efforts. Whereas such effort is not to be denounced -it is indeed praiseworthy-it is not good art economy to ignore rules and principles which will make the whole pursuit easier. There are certain things which all animals have in common. It is wise to understand these early in the game; then the game will be pleasurable and very likely successful.

There is a renewal of interest in animals in our world today. "Animals, it appears, hold as much fascination for viewers of television as anything to be found on the tube," begins a nation-wide press release in explaining why animal shows have such a high rating. Many TV script writers will often make room for an animal on regular shows just for "human interest." One of the first questions the planning department of an interview show will put to an invited guest in the animal business is, "Can you

bring an actual subject with you?" Necks stretch and eyes turn as the living creature, whatever it is, makes his entrance.

All major cities, and even many small towns, have some kind of zoo. There is an awareness that animals need to be seen by our children as a part of their educational enlightenment and development. There is a "zoo baby boom" as a result of new and improved methods of breeding animals which attempt heretofore met with failure. Curators in over 300 big zoos in 70 different countries are happily busy 'round-theclock taking care of their "new offspring." There is no question that the all-out-effort to save our once-nearly-extinct animals is beginning to pay off. Big city telephone directories, for the first time, are featuring the local zoo in full color on their covers.

Because more attention is being focused on animals all over the world, there are scores of new art assignments being handed out to tie in with this awakened interest. Candy and gum cards, cereal boxes as well as other types of containers, greeting cards, gifts and toys are featuring pictures and designs of life-like animals. Automobile manufacturers are naming their latest models after the swifter and more powerful animals. Advertising campaigns are underway to associate the product with these engaging animal names. Public schools and colleges are including animal study as part of their art program. Today there is an increasing need to know how to draw animals.

It should be stated that this entire book has been composed with the artist and art student in mind and not for the zoologist or student of natural history. No attempt is made at exact grouping as to orders or species. There are scores of good books which deal with the scientific and historical aspect of the subject. For the really dedicated animal artist, these books may be profitably consulted. The writer is aware that the term "animal" should better be "mammal," but, again, lay-artists are more likely to use the former term.

Along the way in the book's preparation there has been great temptation to mention interesting animal habits and practices. Such would take valuable space needed for the appointed purpose. The artist is first of all concerned with the creature's appearance and how to more efficiently draw it. Before specific animals are dealt with, however, several pages of guide lines, methods and related-part comparisons are presented. These are very important for the animal artist if he would broaden his understanding of the matter.

Wherever possible the simplest terminology is used to describe the animal part, but often times, for the sake of accuracy, the scientific name has been included so there can be no mistake about it. This in no way interferes with the step-at-a-time diagrams which may be followed by even the youngest student. It is impossible to become an accomplished animal artist without a degree of familiarity with the bone and muscle make-up. One has to put something besides "stuffing" in the animals, or he will end up with a *stuffed* animal. It is a thousand times better to build on the creature's structural endowments.

Another temptation in this book has been to translate the actual animal into a private interpretation. It would be false and unfair to the student to offer some nonrepresentational concept. One can best veer from the norm if he knows what the norm is; so every effort has been made to draw the animal as he actually appears.

For the most part the locales of the animals have been omitted to further save space. Ordinarily this is not a requirement for the artist. Should they be needed, they may be found easily in the dictionary or encyclopedia.

There are more than 12,000 animals (mammals) in our world. No book contains them all. All the well-known wild and domesticated animal families are represented on these pages. An index further facilitates finding particular representatives. Our chief concern in the progression is how to draw animals.

JACK HAMM



Contents

Introduction to Animal Drawing		Inside the Big Cat's Mouths	41
The Greyhound—In Seven Follow-		A Comparison of Cat Heads	42
Through Steps	1	Lion and Tiger Profiles and the	42
Simplifying the Animal	2	Foreshortened Head	43
The Three Body Basics	3	Cat Body Shapes and Markings	44
The ABC's of Animal Structure	4	Shapes and Markings (continued)	45
Applying the ABC's	5	THE BEAR FAMILY	
Important Fundamentals of Animal Feet	6	D. 111' Circle Hadendrowing	16
The Simplified Skeleton	7	Building on Simple Underdrawing	46
Location of the Front "Knee" Joint	8	The Bear's Body Simplified	47
Comparing Front Legs	9	The Major Bears Side-By-Side	48
Comparing Back Legs	10	Bear Heads—In Several Easy Steps	49
Comparing Animal Muscles	11	Bear and Man Compared	50
Bone and Muscle Structure—Greyhound	12	Bear Characteristics Simplified	51
Surface Anatomy—Greyhound; Front	-	Bear Comparisons—Standing on Hind	50
and Back Structural Views	13	Legs	52
Facts about Feet and Claws	14	Bear Facts for the Artist and the	53
	11	Growling Bear	53
Comparing Foot Bones and Likenesses in Animal Heads	15	How a Bear Walks	54
The Animal Nose	16	THE HORSE FAMILY	
The Animal Eye and the Animal Ear	17	TI II C	55
Discusing Fast Action	18	The Horse, a Creature of Beauty	55
More General Facts on the "Run"	19	Taking Horse-Head Points One-By-One	56
	10	Points (continued)	57
THE CAT FAMILY		Guides in Good Horse Drawing	58
Basics in Cat Structure	20	Helps on Surface Anatomy—the	
How Little Cats Resemble Big Cats	21	Influence of Hairtracts	59
Using the House Cat as a Model	22	Bone and Muscle Structure of the Horse	60
Helps in Drawing the Lion	23	Surface Anatomy of the Horse and Parts	
A Simple Approach to Cats	24	of the Horse Named	61
Tips on Drawing Cats	25	Easy Follow-Through Steps in Drawing	-
Notes on Lion Drawing	26	the Horse and "Foot Notes"	62
How a Lion Walks—Front	27	Considering the Front View Horse	63
Lion Head—Seven Easy Steps	28	How a Horse Walks, Trots and Canters	64
The Lion's Mane and Hair Growth	29	The Horse in Action	65
	30	How a Horse Runs	66
Lion—Back View	31	Right and Wrong Ways of Drawing the	
	32	Running Horse	67
Big Cat Facial Features	33	Helpful Facts about a Running Horse	68
	33	The Jumping Horse	69
Tiger Head—Eight Easy Steps and	34	The Horse—Rear View and some Show-	3.2
Facial Design Differences	34	Through Bones and Muscles	70
Differences between a Tiger and Lion	25	Unusual Horse Positions	71
Head	35	Additional Tips on Horses and Breed	
The Tiger's Appearance and the Seated	26	Heads Compared	72
Tiger	36	The Zebra's Shape and Markings and	
The Proper Way to Stripe a Tiger—Side,	27	the Quagga	73
Back and Top	37		
The Tiger Face; Leopard—Tiger	20	THE ELEPHANT	
Compared	38	Pasienina Flankant Deswina	74
The Tiger in Action and the Leopard	20	Beginning Elephant Drawing	
Sitting Upright	39	Elephant Head—In Seven Easy Steps	75
The Snarl, Growl and Roar	40	Simple Elephant Lines, the Indian and	

CONTENTS

African Compared and Tusks	76 THE BUFFALO
Elephant Ears	APC Construction of the D. C. I.
1 0	Buffalo Head 101
	THE COW
Holds His Head	Drawing the Cow
Up	THE PIG
How the Elephant Walks 8 THE DOG FAMILY	Simple Underdrawing for the Pig and Wild Hogs
Wolf, Coyote and Fox Head-Step-at-A-	THE MONKEY AND APE FAMILY
Time	The Monkey Simplified
THE CAMEL	Apes Head Front View 100
The Bactrian Camel 9. The Arabian or Dromedary Camel 9.	Apes' Eyes and some Chimp Studies 112
THE GIRAFFE	Notes on the Gorilla
The Giraffe Head and the Giraffe Running	Drawing the Kangaroo and the Wallaby 114
THE HIPPOPOTAMUS	Drawing the Rabbit
How to Draw the Hippopotamus 96 Building on the Simplified Form 97	
THE RHINOCEROS	and Diawings 115
	MISCELLANEOUS SMALL ANIMALS
How to Draw the Rhinoceros 96 Building on the Simplified Form 97	Animals
THE DEER FAMILY	Small Animals (continued) 117
The Deer-In Three Freehand Steps and	Animal Interpretation and Abstraction
Important Deer Parts	Information



In fig. 1 are a few simple lines suggesting an animal. A child might do something like this before he learns to write his own name. Two legs, back, neck, head and tail. Using this as a starter, let's begin to make a change here and there which will turn these stiff lines into a sleek greyhound dog. At the same time we'll learn some valuable facts about animal anatomy.


No animal has a straight backbone. When the head is held in a normal position, the spine (A) curves down from the head to the tail in the manner shown.


Next to consider is the ribcage area (B), the bulkiest part of the animal. A portion of it extends beyond the front legs which bear more weight than do the rear legs (the neck and head being suspended in front is one reason for this). The ribcage takes up half or more of the body proper in nearly all animals.

In fig. 4 the attaching bones C and D (simplified here) for the legs are added. In the side view both the pelvic bone (C) and the shoulder-blade or scapula (D) slant down and out from the central part of the body. Whereas C runs through the hips, the two shoulder-blades occur on either side of the ribcage.


In nearly all animals, the forelegs are shorter overall than the back legs; they conform more to the straight line of fig. 1. They are more of the supporting pillars since they are closer to center than the rear legs. The bigger the central part of the beast (like the bison), the shorter the front legs. I and J are directly beneath each other. E (the femur) and H (the humerus) slant in from the outward slant of C and D (brought over from fig. 4). This is important to remember in animals. Notice the relationship of the back leg EFG to the straight line of fig. 1. This is the animal's "push-off" leg, more like a spring.

In fig. 6 the far legs have been added. In fig. 7 the main sections of the greyhound are roughly indicated in pencil. These represent the key parts which have a strong tendency to "show" in all animals. They are not difficult to learn as one might imagine. Get so you "see" animals in terms of these vital sections. Your understanding of their structure will be helped immeasurably.







SIMPLIFYING THE ANIMAL



Here is another very elemental approach to drawing animals. No particular animal is now in mind. Above are the parts we will use. The oval (fig. 1) represents the body without head and legs. Tobe sure, the oval needs to be modified later, yet there are some animals with lots of fur which appear to have oval-like bodies. Two "threes" are in fig. 2, one drawn backwards. These, for the time being, will be the simplified muscles of the hips and shoulders in our diagram. The parallel lines of fig. 3 will be the front and back of the legs closest to us. A deer would have thinner legs and a polar bear's would look thicker. Another oval (fig. 4) will represent the ribcage and will be drawn in the forward part of the body. The reversed "nine" of fig. 5 will serve as the neck and head, and a couple of sideways "U's" will be the feet.



Now, assemble these extremely simple parts. Begin with the oval (A), insert the "threes" as shown. Sometimes in a real animal the tops of the threes will jut out over the backline. Add the front and back legs as in fig. C. Lastly, insert the ribcage; draw the neck, head and feet fig. D).



THE THREE BODY BASICS





Fig. 1 is a jaguar without his telltale markings—could be any number of the big cats. Fig. 2 is the giraffe. No long neck or legs or giveaway coat pattern—just notice the body contour, especially the forequarters. Fig. 3, the cow, is easier; but there they appear, three unmistakable sections. Fig. 4 is a squirrel (enlarged); fig. 5 is a wild boar; fig. 6 is a Patas monkey; fig. 7 is a jackal. Everyone will recognize the Indian rhinoceros in fig. 8. Observe how his heavy hide is prominently folded to accommodate these three important body basics.

A

THE A B C'S OF ANIMAL STRUCTURE




Without legs, neck and head the bodies of nearly 100% of all animals are twice as long as they are high. So, to learn a few more introductory facts concerning their general shape, sketch a rectangle about one by two in proportion.

Add two smaller rectangles (as we begin the sectional divisions mentioned on the previous pages): the larger one overlapping the rear and bottom, the smaller one extending over the top and front. These should be set at an angle and parallel to each other. "a-b" will be the back slant of the hips, "c" will be the kneecap (a little below the big rectangle), "d-e" will be the top of the shoulder blade and "f" point of the shoulder.




Add two more smaller and thinner rectangles both back and front. They represent the tibia and humerus parts of the legs and, again, should be somewhat parallel (the reason for their being drawn to-


gether here). Notice the bottom left corner of rectangle 1 cuts through the top of rectangle 2 about midway. "g" will be the bottom protrusion of the knee, and "h" will be the animal's elbow.



The number 3 rectangles are next and are narrower. They represent the metatarsus and radius segments

(though we are chiefly concerned with the natural "1-2-3's" in our progression). The back 3 angles in; the front 3 is straight up







Add the last vertical 4 of the front leg (the metacarpus), the foot blocks 5, the pelvic bone area 6, a suggestion of a tail 7, the neck 8, head 9, muzzle 10 and ear 11. Rectangles 8 & 9 are in line with the front 1. After doing F it is well to practice these "ABC's" a number of times.


Over these straight lines sketch curves in the manner shown at left. In order to get an idea of groundwork principles, we have drawn a composite of several animals, no special one.

10





as his front knees are really his arm 'wrists' and the entire bottom 'half' of his visable back legs corresponds to our feet. As our hands are shorter than our feet, so all animal's 'wrist' joints are nearer the ground than their 'heel and ankle' joints. Knowledge of this helps tremendously in drawing the legs of all digitigrade (walking on the toes) mam-THE MAIN PURPOSE OF THIS DRAWING: Because it is important for the student to realize that nearly all animals walk on their 'fingers' and 'toes' rather than their 'hands' and 'feet,' the above outsized drawing is presented. This clomals. Most of the animals with which the artist is concerned are in this category. This fact is well worth retaining. ven-hoofed European Bison really walks on his two center fingers and his two center toes. What may be thought of



THE SIMPLIFIED SKELETON


It is not necessary for the student to learn minute details of the entire skeletal system. Nor can he bypass the subject altogether and still hope to draw animals. Somewhere in between there is knowledge enough to do a good job. The more one examines and compares skeletons and the muscle structures about them, the more the light breaks through.

The simplified skeleton at left has the barest essentials. It is a generalized sketch of no particular animal. An expanded list of bone


names is given in the greyhound on page 12. The student should learn at least the minimum number of names given above. Concerning the 'parentheses': above your own elbow and knee, you have one bone; below your own elbow and knee, you have two bones. Similarly, animals have one bone above and many have two below. But others have these two bones fused into one or nearly one. In figs. 2 & 3 they are unfused; in 4 & 5 they are partially fused. On this page are four reference skeletons, including: an animal which walks on the whole sole of his feet, the bear (fig. 2); an animal which walks on four toes, the wolf (fig. 3); the largest land animal, the elephant (fig. 4); and the tallest animal, the giraffe (fig. 5). There are four sets of 'show' Bear bones in the torso that are positive requirements: the shoulder blade or scapula, the hip bone or pelvis, the rib cage, and the back bone or vertebrae. In comparing these skeletons (and the one on the opposite page) take note that: the scapula or shoulder blade is more or less triangular in shape, the front leg or arm bone (humerus) is attached to the lower part of the scapula, the pelvic bone goes around and through to the other side and has two decid-Wolf ed humps corresponding to your own hip bones, the back leg bone (femur) is attached to the pelvic bone about 1/3 distance from the back of the pelvic bone. Giraffe Elephant

LOCATION OF THE FRONT "KNEE" JOINT


The big arrow (at the right) is directed at an animal's elbow or point of the olecranon bone (corresponding to your own elbow -- feel it, then straighten your arm out: the next set of joints down



The sample leg in the center of this page is that of a horse with elbow and hoof. Across the bottom of these two pages are various animal feet. It would be impossible to have a sample leg whose height and width would comply to all animals. However, every leg has a 'mid-way' point (center dotted line



1 CAMEL 2 GAZELLE



(FINGER NAILS)

Above are the front legs of several different kinds of animals. They are not drawn proportionately but are reduced or enlarged to better fit the space and illustrate the point. As "DE", the 'true' knee of the back leg, is below the body (or stomach line) on page 10, "B" or the 'true' elbow of the front leg is usually just above the body (or chest line). One exception is the elephant which also has looser skin appearing to bag down somewhat at the elbow. Some dogs vary in this regard. These observations apply to animals in a standing position, which so often needs to be drawn. When an animal extends his front legs for action, the elbow then drops below the chest line. So, remember the two knee bumps ("DE" on page 10) are below and the one elbow bump ("B") is usually above the contour line of the body proper. For a good illustration of this turn to the horse section.

At the left is a general bone plan for the animals' front legs. Only one muscle, the triceps, is indicated here as it comes off the elbow bone. The reason for this is its show prominence in nearly all animals. As it cups on the side of the upper leg it invariably catches some shadow—not always, but more often than not. If a particular animal has lots of overhanging hair such as the bison (4) or skunk (5) above, the triceps may be blocked from view. Still, many good animal artists will let this understructure be evidenced even when hair is in abundance.


EXTREMELY ONE TRUSION At right are NOTICEABLE notes on the SQUARING 'true wrist' POINT THINS OUT ON FRONT joints of the FASTER horse family, HERE the deer fam-HORSE DEER ily, the dog

family and the giraffe. Observe joint shapes drawn at top of page.

GIRAFFE





parallel to heavy black lines, p. 8). The six approximate positions (ovals, p. 8) for the front leg joint ('knee' or 'wrist') are to be considered as being on the particular animal's leg in relation to the midway point. The bear's, squirrel's and monkey's foot above includes the joint (listed in column 6, p. 8).




COMPARING ANIMAL MUSCLES


The muscle arrangement in the animal kingdom is much the same. For the artist he need not know all the technical names. After the three body basics are learned (page 3), it is well to go beneath the surface for a closer look. Though all external muscles may express themselves under given circumstances, the beginner should familiarize himself with a few 'give-away' places that are likely to show on most all short-haired animals. As a starter look at the four places in each animal (marked with a black line) in the second column. Where one muscle comes against another there is often a noticeable indention. Even with the long-haired animals, extra power may be portrayed in a drawing by permitting bold under-structure to influence the lay of the hair.






On page 11 we saw the marked similarity in muscle formation as it occurs in various animals. Although it is not necessary to be able to identify by name all the bones and muscles, it is advantageous to refer to them repeatedly. Wherever there is a "show" place on the surface, find out what makes it that way beneath. This will simplify surface drawing, the part that cannot be escaped.







The exterior of the greyhound beautifully illustrates bone and muscle "happenings." Compare fig. 3 with figs. 1 & 2. Refer back to these pages when studying other animals throughout this book. When a change of contour is detected or a highlight or shadow appears on the surface, TRACK DOWN the



Observe that the scapulas (or shoulder blades) in fig. 4 are not attached by a bone-link to the sternum. There is no collar-bone in most animals. The scapulas lie more or less flat to the sides of the shoulders, and they define themselves well in surface anatomy (see figs. 1, 2 & 3). The next time you pet a dog or cat feel the scapulas, humerus heads (front points of the shoulders), sternum bone, pelvic bone crests and femur attachments. Note the radiating muscles from the sternum in fig. 5 -- these are especially prominent under the skin of the horse.






THE ANIMAL NOSE

As we proceed in our study, we discover more and more that in the animal world there are certain things which many have in common. It is well to learn these things first, then seek out the individual differences. So that the resemblances may be appreciated, however, it is needful to itemize what we're talking about. At this stage the student should not spend hours drawing individual noses or eyes or ears. But when a sameness is revealed, tuck it away in your memory. Let it come to your aid as your pencil crosses the spot where the particular feature must appear.



At left notice the black "comma" taken from the bottom of the human nose. This simple comma may be modified, but it is to be found in nearly all animal noses. Notice how the commas are laid on their sides with the tails pointed up and back toward the eyes. Trace this observation in the French Poodle's nose (2) and throughout the rest of the noses on this page. The tail of this comma is more of a slit-opening in animals (see arrows, figs. 11 & 12) than in our own nose. These slits will flare during heavy breathing after a run or when creature is angry (also see p. 72. figs. B1 & B2). The minimal comma is the pig 7: the maximal, the moose 5. The septum between the nostrils is often grooved, or at least indented. This "valley" usually starts on the upper lip. The nose pad takes on fine hair at its extremities, then graduates into full hair on the face. A secretion keeps the nose pad moist in many animals causing highlights to appear. Dog's and bear's noses are somewhat flat on the front with more of an 'edge' at the top. Compare the cat's nose 14 with the tiger's and lion's, p. 32. The camel 15 can close his nose to keep out dust; the sea lion



DOG HORSE In drawing the side view animal nose, think of the human nose turned up (a & b). Notice this in the bear (c). The 'puff' of the cat-like cheek may cut along the nose and a mere line may suffice (d). The nose tip may be darkened (e) or grayed (f). Consult pages 42 and 43. From the right side the figure "6" may be imagined in the nose (h&i). Reverse 18 "houndar" the "6" for the left side. Remember the difference in the nose pads and upper lips of the deer (17) and antelope (18). 16


DEER


COW


3 COW


HORSE


ANTELOPE














BASICS IN CAT STRUCTURE

The cat family has bodies which are longer than high. They are very uniform in their basic structural make-up from little house cats to giant tigers. Cats are cats whether large or small, in the jungle or in the living room of your home -- as far as general shape and body movements are concerned. This is not true of the dog family which takes on a variety of odd shapes. Even the longer-legged cheetah and the more box-like lynx vary little from the standard cat design.


The big maned lion and the brightly colored tiger are different only in their 'dressing.' If both are skinned and laid side-by-side, only an expert can tell them apart. So, learn 'standard' cat make-up, and then adapt it whenever the need arises.


There is something to be learned in beginning with the square, fig. 1, then extending the outline on either side as in fig. 2. The point of the shoulder, 2-a, in most animals, not just the cat, is in line with a middle division, a-g, drawn through the body. It protrudes from the top half of the original square and, in the case of the cat, this point may be considered directly above the front toes when the animal is standing erect with feet together. This 'knob' (a) is the end of the humerus bone, fig. 4.


In fig. 2 the elbow (b) is above the chest line, and when the tapering waist is brought up as in fig. 5, the knee (h) is below the CD line of fig. 1. Directly above the knee (h) the top of the hips (e) or pelvis is located. Then there is a slant in all animals where the pelvic bone tilts downward (see fig. 4). The front of the foreleg is in line with A-E of fig. 1, but the other perpendicular B-F cuts through the back leg. Both c & i of the front and back legs may be drawn on the original square of fig. 1.


It is true that a cat isn't always going to stop his legs in the same position. Nor will all four appendages be static like a table's legs. However, for now, it is well to grasp the simplicity of this stance. Notice the feet in relation with the square of fig. 1. It is quite natural for many animals to hold their heads so that k-1 of fig. 3 is more or less parallel with the shoulder line o-a of fig. 3.


Fig. 5 is a lioness, and fig. 6 is a male lion. Fig. 7 is a tiger drawn upon the same cat frame of fig. 5.












If you have a pet cat running around your house, you have within drawing distance a miniature lion or leopard or any other of the great cats. The similarity is amazingly striking, especially if the cat is short-haired. At the far left is a medium-sized siamese cat blown up to lion-like proportions, or a lion sitting alongside reduced to cat-like proportions -- as you wish. Actually, the cat was drawn first, then the lion was drawn on the cat's frame. This particular cat, like many pampered pets, is a little on the fat side; so it would be best to narrow the body


width slightly for a sleek looking lion. But for the purpose of proving the point, Leo the lion has been made as fat. The head and tail are the chief differences, yet, in kind, they too possess decidedly cat characteristics.


At left is the same cat in another sitting posture. This time the creature is drawn smaller and more to scale. By enlarging the animal exactly, changing the head to some extent, and adding spots we have a leopard. We might have built a jaguar, tiger, or puma on the frame just as readily. It is good practice to very lightly sketch your cat, then let him be the foundation for a powerful beast of the jungle.

Below, the lioness' head and cat's head are equated for study. Notice the difference in ear shape. The large cats have rounder ears. Both animals' ears if turned to the side would appear more pointed. By contrast the small cat's eyes are huge. Small cats (bobcats on down) have contractile eyes capable of becoming mere slits in bright light or big and round in poor light. All big cats have circular eyes; the pupils being reduced to spots not slits in stronger light. All big cats and most small cats have the distinctive dark coloration trailing out of the in-




side eye corners onto the nose. The house cat's nostrils are more petite, and the 'roof' of the nose is considerably shorter and more narrow. The muzzle across the whiskers is not as bulbous. The chin is smaller. In all, the facial features are closer together and daintier save for the big eyes. The lion head is more rectangular. The house cat may snarl, but only the larger cats seem to furrow their brows when displeased.





Above is the puma (also called couger, panther and mountain lion). He is drawn over the 'expanded' house cat at the left. The head is not as bold as the lion and is smaller. The body is more supple. The tail has no tuft and is held lower than a house cat. The big cats are more likely to drag their tails when walking. In excitement or anger they may flail their tails or twitch them when mildly aroused.



A SIMPLE APPROACH TO CATS



Before starting to sketch any animal, in your mind's eye quickly run around an overall confinement line above the base; i.e., the area upon which the subject rests. See what overhangs the foundation assuming this weight.

Sketch very lightly the sectional parts as they relate one to the other. Think of these parts within the whole. Don't get 'hung up' on detail. Erase freely if a replacement line is needed. Lightly-drawn lines in the beginning make improvement possible.


Always be on the lookout for planes. Think of your subject as being solid even though it is a soft, furry cat. In this instance, especially notice the overhang of bone, flesh and fur at the shoulders.

At this stage of the game, fig. 3 is more important than the completed sketch at the right. Too many beginning students want to hurry with the "paint job" before the house is adequately put together. Rove around over your work checking one part against another. What about your proportions? Do they look right? Most papers you can see through. Reverse it, hold it to the light. Mistaken proportions are often revealed this way. Make the necessary adjustments.

Cats are a symphony in gracefulness. Their movements are a joy to watch. From a compact ball they can be in a full-stretch leap in an instant. Whenever they walk by, especially observe the up-and-down motion of the shoulder blades. When the body weight is shifted to the front right leg, that right scapula rises under


the fur. Likewise on the left. In climbing up or down these shoulder 'humps' respond (see drawing on the right). Note the ears as they twist toward the sound. Watch cats in a crouch as they stealthily sneak up on a bug.

A 500 lb. tiger does exactly the same thing, except his 'bug' may be a more sizeable prize.




NOTES ON LION DRAWING

Few animals are more loosely skinned than the felines. The skin on the larger and heavier beasts seems to be attached rubber-like to the perfectly coordinated muscle structure beneath. This loose covering enables the unusually-flexible spine extreme curvature in



every direction. The multiple lines of fig. 1 express this adaptably-pliable characteristic.




Pumas or mountain lions have the smallest heads, in proportion to their gangling bodies, of any of the great cats. Especially is this true as they turn away from the observer (perspective being involved). Their hair is short-cropped, yellowish brown to gray in color with whitish under-parts. Their tails are thick, the ends widening, but no tuft.


The puma has a long stride. Though he may look thick from the side, from the front he is no wider than his whiskers. All cats are rather surprisingly thin from the front; thus they slip the more easily through narrow places (see diagrams following dealing with the front view walk).




HOW A LION WALKS-FRONT




The 'cat walk' from the front is illustrated here in eight sequences. In fig. 1 the left foot is on its way forward for a step. As soon as it comes off the ground it angles inward at the 'wrist.' There are several reasons for this: the sheathed claws and rather tender toes are protected, being kept under the body. Also, the cat may tread a more narrow path in underbrush. The house cat walks this way too, but the tiny feet are difficult to notice. Since the left foot now has no weight upon it, the shoulder on that side drops. The shoulder blade on the right goes up over the weight-bearing leg. The left foot will barely miss touching the right foot as it passes. In fig. 3 the outside of the left foot is making touch contact with the ground (still at an angle). In fig. 4 the left foot begins to assume part of the body's weight, and the shoulder tops begin to level. In fig. 5 the weight of the cat's forequarters is evenly distributed momentarily; the shoulders are straight across. The toes are slanted out slightly. Bears go through the same motions except their front toes are slanted in slightly when their forefeet come to rest on the ground.





In fig. 6 the right foot lifts, placing weight upon other leg (notice the shoulder line). In fig. 7 it starts forward angling in as the left foot did in fig. 1. In fig. 8 it is ready to be softly 'plopped' on the ground. The big male lion in fig. 9 is in the same position. Fig. A at left shows the bone influence and fig. B the muscle influence (black lines) resulting in a prominent surface line on front of leg (see arrow fig. C). It goes from inside of 'wrist' to leg's 'root' in nearly all animals. WATCH FOR IT! RECORD IT!



LION HEAD - SEVEN EASY STEPS








1. Draw a horizontal, two crossing verticals and an X beneath, leaving an enclosure slightly deeper than wide.

2. Then draw two small eye circles below horizontal and outside of verticals. Place parentheses-like markings () on either side of X directly below circles. Add curved chin line.

3. Draw large circle crossing center of X, with circle's center even with bottom of eyes. Add looping ears extending out from circle almost as far as chin line.

4. Sketch mane's outline behind ears and on either side of cheeks. Let hair cup in and converge informally below chin.





5. Draw eyelid lines coming off of original horizontal line. Let them curve in and cross to inside of verticals. Continue these lines down sides of nose making them swell slightly as they approach the X. Top of nose pad goes above X's center; while mouth line sweeps out below X. Place furrow lines above eyes and indicate loose hair strands in front of ears.

6. Add pupil spots, bottom eyelids, forehead furrows, nostrils, whiskers and additional mane strands about the face.


7. Shade in face and mane over linear outline of fig. 6.

The most intelligent and best looking lion heads have a fairly wide face. Lions are individuals and their countenances can vary just like people's. Lion trainers in circuses would choose lion A over lion B pictured at the right.










HOW A LION WALKS-SIDE

The members of the cat family progress by the walk, the trot and the gallop (for footfalls which may apply, see pp. 70 & 71). Any of these may be interspersed with the 'leap' depending on distractions and terrain -- at least, it is obvious, the hind limbs often act in unison when cats are in a hurry (fig.7, p.19). We hear of animals "pacing," that is, two legs on the same side moving forward together. No animal does this 100% of the time. Take the walk of the lioness as an example. Since fig. 13 is like fig. 1, this means our subject has taken one stride to that point. Several of the phases have been omitted intentionally, particularly when the near front leg is covering up the other front leg; this phase is never wanted by the artist (phase omissions between figs.5 & 6, 12 & 13).

It will be noted that whenever the animal has three feet on the ground a dotted base is used. Single black lines indicate only two feet on the ground. A salient fact demonstrated here, and one which every artist should know, is this: whenever an animal has two feet off the ground, and they are the ones tucked under the body, the supporting feet are on the same side (see figs. 4 & 5, 11 & 12). Additionally, when an animal has two feet off the ground, and they are the ones farthest forward and backward, the supporting feet are on opposite sides of the body (figs. 6 & 7).

Attention is called to the shoulder blades. The one above the weight-bearing leg pushes up, and the one above the lifted front leg drops. When the weight is equally divided, the shoulder blades are level (see also p. 27).

At the right is a walking figure of a lion. Arrows a & b represent the outer reaches of the feet. Arrows c & d show the inner reaches of the feet. The several leg positions suggested can be found in the sequence 1 through 14 on this page. It is rather surprising how far forward the 'upper arm' is thrown -- marked e. See also fig. 5 on the opposite page. All cats seem to walk effortlessly. Doubtless one reason is that they are noiseless in the process. The felines surpass all other animals in gracefulness of movement.






READILY CATCHES


At right is a sketch calling attention to the slick black of the lips. In some big cats it is fleshcolored or mottled (see notes under fig. 3, above

32


right).




TIGER HEAD - EIGHT EASY STEPS




Lightly sketch a circle. Divide it as shown.




Then mark off each half of the horizontal line in thirds. Do the same with the bottom half of the vertical. Add another 1/3 mark under circle.




Spot in the eyes and nostrils.



Draw in eye corners. Drop parallel lines to nose for muzzle's top. Position ears halfway in two top arcs (either facing forward, as on left, or facing outward, as on right). Draw chin.



Sketch in bulbous muzzle in line with outside of eyes. Extend each half slightly below circle.



Add shaggy ruff behind cheeks. Indicate streaks from which whiskers will come. These streaks are darker in tiger than lion.



With very light lines decide on pattern for facial stripes. Spot in pupils. Add whiskers.




Darken stripes and shade muzzle.




Many tiger "personalities" may be built on this scheme as at left and below. This is a straight-on view of a tiger head. If the head is to be tilted downward, then the eyes would be placed below the starting horizontal line (fig. 3) and the nose would likewise be lower. The bottom of the muzzle (or upper lip) would be considerably below circle in fig. 5. Concerning the ears, most mammals can turn them independently if a sound occurs to one side or the other (as drawn 4 through 7), but in a drawing, as a rule, they look better uniformly placed as in the other sketches on these two pages.

FACIAL DESIGN DIFFERENCES


Examine and compare the faces of the tigers 8 & 9, also 10 to 14 at the right. Notice the differences in the facial patterns. First, look at markings above eyes, then on cheeks. Tigers 12,13 & 14 have shaggier ruffs back of cheeks. Check out the eyes and ears. Notice bits of shading on mouths and noses. There is no doubt that the tiger is one of the most beautifully marked creatures on the face of the earth.








The above is not meant as steps in drawing. If we back up from D, we have isolated in A a portion of the face's ground color which is shaped like a "W." This area (a rusty





roof than lions, but most do (see above).

Where the lion's nose swells (fig. 1), the tiger's nose remains fairly straight. But, interestingly enough, the reverse may be true of the muzzle on either side of the nose: where the tiger's muzzle swells (fig. 2), the lion's is more narrow. The lion's mane makes him look more massive. The swells (fig. 2), the tiger's cheeks is a rudimentary mane. Many of the tawny-yellow cats have collar ruff back of the tiger's cheeks is a rudimentary mane. Many of the tawny-yellow cats have a light crescent beneath the eye beside the dark 'tear drop' which trails onto the nose.



THE TIGER'S APPEARANCE

Tigers stand high on the list when it comes to the number of animals with which an artist needs to be familiar. It seems there are more divergences of opinion on the tiger, his size, his strength, his markings than perhaps any other of the big cats. Some authorities have him growing to be 13' long and 700 lbs. heavy. A 10' tiger (counting tail) is a mighty big one. Many naturalists say the heaviest tigers exceed the largest lions in weight. The fact is, even a 500 lb. tiger is a giant.

It may be helpful for the artist to know that tigers in northern regions of Asia (northern China, Siberia, Korea) are larger with thicker fur. Grown tigers in southern regions (Sumatra, Java, Bali) are smaller, around 250 lbs., with shorter coats. Southern tigers in warmer climates are more brilliant in color as a rule. Midway geographically, Indian tigers vary in size; the Bengal can be a




When making a sketch of a tiger, like any other subject, one must decide on the density of stroke, whether the work be in pencil or some other medium. Above in fig. 2 is a tiger with a heavier stripe treatment in the center section. This could have been used throughout. Whether the pencil is lightly or heavily used, the stripes should look like fur rather than metal or stone. Develop underdrawing lightly in either case however.

At right each of the seated tigers has a different kind of stripe. Sometimes it's a mystery to know what to do with stripes on that back leg when it's folded up. At the loop of the knee, tuck the belly stripe in, then stagger the next stripe on the leg. Observe the chest. Some tigers have a stripe down the chest's center (fig. A). Others do not (figs. B & C). Some have dark-striped collars like fig. C. Notice the front legs. They are plain in A, sparingly ringed in B and in C there are a few slashes, confined mostly to the inside of the legs. Also note facial designs.

THE SEATED TIGER

may appear buff.



ger will, in his later years, appear faded. Also what used to be white will be grayish. It is true, on some of the all around darker southern tigers, that which is normally white

THE PROPER WAY TO STRIPE A TIGER

As simple as one might think placing tiger's stripes would be, some particular observations may be of help. The number, shape and thickness of the stripes vary on individual animals. On most tigers the general direction taken by the stripes on the sides conforms with the slant of the ribs beneath (see figs. 1, 3, 4 & 5). Yet a loose-skinned, heavily-furred type may have lanky flanks and belly sag which tend to stretch out these curves (see fig. 2) -- this does incline toward a 'flat' look, especially from a straight side view.

Fig. 1 has a thick "boomerang" stripe angling under the stomach. On the spine are split stripes tapering off between the side markings. No animal ever has continuous stripes going around the body. They are always broken somewhere; a few may be mere dashes. The thick side stripes of fig. 3 are like a bow (of a bow and arrow). Both 1 & 2 have the lower shoulders more or less devoid of stripes. If there is a plain area, that's where it will be, and many big tigers have it. Some huge tigers have little more than pin stripes (fig. 5). Fig. 4's widest stripes are a little like twisted teardrops.

Some few tigers have altogether plain front legs such as 4 & 5. Most have elongated dashes of black on the inside or outside however. There are always partial

rings on the back legs. In order for the vertical hip stripes to "get into" the flow of these rings, there has to be a change of direction on the thigh. Sometimes this is accomplished by a triangle (fig. 1 or 3); other times by several flimsy triangles (fig. 2). The change at this thigh juncture may be jagged (fig. 4) or crooked like lightning in the case of a thinly striped cat (fig. 5). Tiger tails may be irregularly ringed with the heavier rings often coming at the end. Notice the neck stripes and ear backs. The stripes on one side of the body will never be repeated exactly on the other side. No two tigers have the same design.



BACK AND TOP

There are times when one has to draw a tiger partially or altogether from the rear (see fig.

D). The stripes 'oval' informally around the tail's root and slant in toward the inside top of the legs. These rings continue down the tail. Each leg

will be marked differently. If the view is somewhat from above, the spine line will tend to show. There is a perceptive demarcation there. See three ways of treating this in figs. E, F&G. Fig. E has the dorsal line as if there were a fold in the paper. In F it appears like there was a 'pull' frontwards of the skin itself on this ridge. In G there is a spasmodic alteration in the stripes down this center line. Observe closely the stripes on the neck as they relate to those on the forehead.

There are always crossways branch markings on crown. They may break or go completely across. Usually they join an up-and-down stem in center.

THE TIGER FACE

Directly above and between eyes the fur has short, dark markings tilted up toward center.

> Top of longnose is plainest part of face.

Pinkish
nose-pad
usually
has dark
rim outline on
top, but not
always.

Slight swell in septum of nose is wider than that of lion.

Backside of ear is black except for white "flash" which may vary in size. When open ear faces forward, black edging may show.

There is always rather large "sunspot" of white above eye upon which scores of little designs may occur. These are somewhat of a trademark for individual tiger.

Outside corner of eye usually trails into a stripe marking.

Below eye there is always a curved margin of white under which a dark coloration always appears.

Inside corner of eye always slants downward merging into darker fur which blends into muzzle.

-Cheek markings may vary greatly in pattern according to individual tiger.

White upper lip has whisker roots set in four noticeably dark streaks nearly parallel (lion has lighter or no streaks).

White ruff on neck is more likely to appear on northern varieties of tigers in colder climates or on old males. It corresponds to mane on lion.

LEOPARD COMPARED

Not as much shag on face as tiger. No ruff behind cheeks.

Greenish eyes.

May have very dark whisker streaks.

Mouth angles downward from center more sharply than in tiger or lion.

Velvet feel to jowls and chin. Fur a powder-puff texture.

Yellow coat, white under parts, black spots.


Spots come clear to toes.

Though there are fewer size and shape differences in leopards than in tigers, those which are found in high, dry areas are bigger than those which


inhabit low, damp places. The former

are paler in color than the latter which are darker overall with larger spots. Most leopards have more total yellow than black. Some few of them are born entirely black.

38



THE SNARL, GROWL AND ROAR



Often an artist is called upon to draw the big cats in a ferocious mood. The five roaring cats are: lion, tiger, leopard, jajuar and snow leopard (according to anatomical classification -- though no one has heard the snow leopard roar). Even though other cats don't roar, they express themselves with a variety of chilling sounds. THE MUSCLE REACTION ABOVE APPLIES TO ANY CAT (even your pet tabby), but we'll use the lioness since her face is plain, not botched with spots and relatively free from long hair. Actually, her maned husband is a lot noisier. The contorted face of an animal doesn't mean it is sounding off at all, but usually it becomes vocal when really disturbed.


1 The first part to react is "C", the muzzle, which is pulled toward the eye as indicated in fig. 2. Notice how much more narrow "A" is in fig. 5 than in fig. 1. This contraction permits teeth to show.

2 The line above "C" denotes a section in our sequence. Actually, there is no line in evidence here until fig. 4. The lips are often ajar in a big cat, and this black rim prompts a shadow through the facial fur. A good point to remember. One doesn't need to draw lips in the profile, just shadow.

3 Muzzle is still rising prior to affecting skin above it. Bottom teeth show first.

4 Mouth opens wider, but this isn't what casues contortion on upper face. Most of this can occur with mouth closed. Muzzle pushes skin into noticeable folds, and formerly smooth nose bridge "B" starts to wrinkle.

5 "A" narrows to the limit. "C" rises to its limit. The follicle rows on "C" are twisted toward eye -- this causes whiskers to point up and out. Longitudinal furrows may show on nose. Crossways furrows show in front of and below eye. Brow tightens. All of "B" is subject to change. Lines behind "C" appear, but "C" itself is not wrinkled. Ears probably lay back with this intense expression.




Both above front view heads are foreshortened a little so we can look down on nose. Notice pullback and spread of muzzle in tiger (6) and lion (7). The oblique wrinkles slant in and down from eyes into "U" wrinkle on top of nose. The action here is symmetrical, though it doesn't have to be (See fig. 8). No doubt the lion (7) is displeased, even though his mouth is closed.

Sketch at right is full onesided snarl front view. Mouth doesn't have to be lifted that much; a snarl can be barely perceptable. Here nose tilts but wrinkles are only in general eye area. High muzzle points whiskers upward. Observe straight across

whiskers upward. Observe straight across set of bottom lip. Normally nose's center crease would be perpendicular to bottom lip,


but snarl pulls it to one side.





(See note top opposite page)

- 1. The Jaguar's head is slightly larger than leopard of same size. Body's unique rosettes not to be found on face. Facial spotting similar to leopard's.
- 2. Cheetah's head more rounded and small in proportion to body. Unusual cheek stripe falls from inside eye to mouth. Spots dribble from outside eye.
- 3. Clouded Leopard's head is more elongated. Has pronounced jagged stripes on side of face. Few spots on forehead. Has longest fangs of any cat in proportion to size.
- 4. Ocelot's cheek markings more parallel. May have two vertical streaks coming down forehead. Few random spots by stripes.
- 5. Leopard's face heavily spotted. Markings more evenly spaced than in other cats. Hexagonal-shaped rosettes usually take up immediately behind head. May have necklaces of spots on throat.
- 6. Margay is small relative of Ocelot. Rarely are they same size. Head is rounder. Markings are more sharply defined than in most cats. Spots are not linked as much as on Ocelots.
- 7. Snow Leopard or Ounce has rather short muzzle compared with entire head. Face is furrier and usually more sparsely spotted than Leopard's. Ears are black-trimmed with white spot behind. Animal has light ruff around cheeks and throat.










- 8. Golden Cat's head is comparatively small. Has an elaborately patterned face in contrast with rather plain body coat. This is only cat so different in head and body. Large eyes are surrounded by white, black and gray stripes. Body is golden color.
- 9. Lynx has exceptionally wide face ruffs with tips almost meeting below chin. When animal hisses, ruffs fan still more. Ears are tipped with long tufts. Cheek ruffs usually have dark bar markings.
- 10. Pampas Cat's close-cropped head looks small on shaggy body. Faint reddish-brown stripes laid over silvery-gray face give features delicate appearance. Back of ears are darker brown.
- 11. Different Leopard Cats have great variation in coat markings. Their spots are quite elongated. On their forehead four definite longitudinal stripes often appear. They have petite muzzles and small chins.
- 12. Serval's head is very small at end of long, thin neck. Muzzle tapers to thick nose pad. Ears stand up close together and are outlandishly big. Face is not as spotted as rest of body.
- 13. Bobcat head is similar to Lynx except ear tufts are shorter. Has flared ruff on jowls, but not as pronounced as Lynx. Whiskers extend from black follicle stripes.
- 14. Eyra, sometimes called Otter Cat or Jaguarundi. Least cat-like of all true cats. Looks somewhat like an oversized weasel. Eye is circular and not capable of contracting to slits like most small members of the cat family.

A COMPARISON OF CAT HEADS

(The cats' heads on the opposite page are not drawn to scale. They have been reduced or enlarged so that characteristics and markings might be better compared. For example; the head of the Jaguar is larger and the head of the Serval is smaller than each appears here. One factor which the artist should take into consideration is that the average cat in direct profile is more likely to have a forehead contour like this: with the 'hump' coming above and in front of the eye. If, however, that same cat turns his head ever so slightly -- yet, still to be regarded as profile -- then the far brow may influence the nose bridge like this: Check figures 1. Jaguar and 7. Snow Leopard. All cats of a particular species do not have precisely the same shaped head any more than humans, yet there are general characteristics and markings which may be found. It is this which we are after. Among these points of interest, one thing in particular the student might notice on these heads is the shading or coloration which comes out of the inside corner of the eye onto the face; also, the fact that some kind of marking often is attached to the outside corner.)







1. Jaguar is largest American cat.
Stockily built, short legs, heavy chest.
Large rosette markings with one or several interior spots. Some animals have more tightly arranged rosettes.
Skin adheres rather closely compared to tigers and lions. Black spots overlaid on yellowish white or rich tan.

2. Cheetah is fastest animal on four legs (to 70 mph). Extremely long limbs, gangly body. Rather small head. Blunt claws partly retractile, more like dog's. Sometimes single black spots are more openly spaced than this drawing. Tail banded toward end. Sandy color behind spots.

Wt. 100 lbs. L. 7' H. 30"

Wt. 40-50 lbs. L. 6 1/2' H. 21"

4. Ocelot. Slender, well-proportioned body about twice size of house cat. Highly ornamental coats. Tandem markings often like chains. Smoky pearl to grayish yellow with black overlaid. Like many of the cats, nose is pink, upper cheeks, chin and undersides nearly white.

patches blended toward edges. Designs outlined in dark gray and olive brown. Body background color grayish to yellow with white below. Thickly furred tail is irregularly ringed and unusually long.

Wt. 25-35 lbs

3. Clouded Leopard. Huge irregular cloud

5. Leopard. Exceedingly fast in movements; perhaps more so than any mammal. Immensely strong. Most treacherous of all predatory creatures. Thickly dotted with black spots. Some markings larger on some leopards.

Spots may vary from solids to rosettes (no centers like jaguar). Basal color is tawny yellow above and whitish below. One of litter many come out black all over (sometimes called 'black panther'), yet in certain reflective light


spots can still be seen.

Wt. 160-190 lbs. L. 5'-8' H. 20''-28''







Whenever the student looks at an animal, he should think in terms of some kind of foundational lines. On this page are rounded beginnings. On the opposite page are angular beginnings. The foundational lines which seem to best run through the figure should be experimentally tried in practice. Bears can assume funnier positions than perhaps any other animal. Here's one of them.




1. From the circle, oval and arcs we proceed to --









5. Now that we are certain of our preliminary work, it is safe to strengthen our sketch with darker lines. A diagonal overlay has been used throughout -- this is recommended as one good method for practice sketching.









THE MAJOR BEARS SIDE-BY-SIDE





BEAR HEADS - IN SEVERAL EASY STEPS






BEAR AND MAN COMPARED

It is interesting to compare the bear with man. Inasmuch as the bear is a plantigrade animal (see p. 15), some benefits derive from it.

The notations about these sketches point out similarities as well as differences. Keep in mind that the shoulder blades of the man are on his back; whereas the shoulder blades of all quadrupeds are on the sides of their shoulders. Hence, from the front the man would be broader through the shoulders. Yet, the bear's muscle attachments resulting from this arrangement give great striking power




Next to the great apes, the bear can get into more man-like positions than any other animal. Normally his movements are slower and more lumbering than man except at a time when the element of surprise enters in. A large bear will possess the strength of ten men.



At the zoo watch the bears roll and tumble, especially at play. Usually they are quite cooperative in turning many poses for the artist's study. In the wilds the mother bear cavorts with her cubs in a delightful way. In our national parks it is wise to keep distance between oneself and Mrs. Bear if she has cubs anywhere nearby.

BEAR CHARACTERISTICS SIMPLIFIED



After deciding upon the central bulk of the bear's body (a modified oval shape), draw the neck & head, legs & feet. These forms are essentially quite plain and simple. Keep in mind the bear is a thick and burly creature. Of all large, land animals the bear can be the "roundest," especially when infull coat. Interesting nicks and subtle angles in the contour can furnish needed relief and add strength to this roundness. Check out the notations listed below:

POLAR

BEAR

3 BROWN BEAR

General characteristics:

1. Distance from belly-line to ground is short.

Leg lines taper coming down to feet (not so much in polar bear).

3. In rear view tail is only few inches long, fig. 2.

 On any of these bears, hair clusters often occur and may appear at following points: A. At elbows, 2a, 5a; B. Above and behind heel of front foot, 1b, 3b, 5b; C. Above and in front of back foot, 3c, 5c; D. At throat or base of neck, 4d.

5. A shadow line often reaches from shoulder blade to elbow, 1e, 2e, 3e, 4e, 5e.

 A shadow or 'valley' line may appear in thick fur between midsection and hindquarters, 1f, 2f, 3f, 4f, 5f.

7. A slight flattening may occur above thigh in semi-front view, 3g, 4g, 5g.

Individual characteristics:

 More pointed snout on black bear; blockier snout on brown and grizzly; arched snout on polar bear.

2. Longer neck on polar bear.

3. Hump at shoulders on brown and grizzly bears.

4. A little more overall height at shoulders in brown and grizzly bears; a little more height over rear quarters in black and polar bears.

5. Wider feet in polar bear.





BEAR FACTS FOR THE ARTIST

Bears are extremely variable. Within a single species or even within the members of the same family, there may be differences in skull formation and facial characteristics. Experience shows that when a big brown (or Kodiak) bear and a grizzly of the same size are walking side-by-side, it is often difficult to tell them apart. A brown does grow bigger, and at close range the several variations noted on p. 48 will show up. The polar bear's looks are unmistakable, however, but he may rival the big brown in weight and size. The following notations corresponding to the numbers across the page may help:

MODIAK (or big brown) — may stand over 9' tall; has huge keg-like head; is largest, living, land carnivore; has less color variation than grizzly or black bear, but still

may be tan, cinnamon, blue or jet black.

POLAR (or ice bear) — surprisingly tall when standing; shoulders appear low-set under long neck; body quite narrow from front; a better swimmer (though all bears swim); has large "snow-shoe" feet; has keener vision than other bears; white (more often yellowish white) fur is well oiled to shed water; he kills by biting, not with a slashing forefoot.


GRIZZLY — perhaps most ferocious; face usually has definite 'scooped-out' look; fur may be in ringed waves around parts of neck and body; shoulder hump sometimes partially maned; colored various shades of brown: yellowish, grayish, blackish with grizzled or silver tipped hairs.

BLACK bear — may be deceptively friendly; coat hair generally more even in length than above-mentioned bears; behind his tan-colored nose he may be black, brown, cinnamon, blue, yellow, white, rust or even silver (cubs may vary in same litter).

6 HIMALAYAN (Tibetan or moon bear) — has flared ruffs of long, coarse, black hair about neck with whitish crescent across chest; upper lip may be white; rather large ears; has small, black claws.


SLOTH (or 'honey bear') — has long, nearly naked snout and highly extendable bottom lip; long, coarse, black hair is most unkempt in appearance; muzzle is yellowish; has whitish blaze on chest; big feet have enormous white claws.


MAYLAYAN (sun bear or 'bruang') — small, bandy-legged bear; very short, sleek, black hair with odd yellowish mark on chest; light gray-tan colored muzzle; small ears.




THE GROWLING BEAR

Like a dog, an angry bear's nose tip will rise and pull back (more so than any member of the cat family). An angry cat's cheek will contort below eye (moreso than dog or bear) -- see figs. B, C & D below: page 40 for big cat anger.









TAKING HORSE-HEAD POINTS ONE-BY-ONE

2 2 3

As a rule the first line to be set down in drawing a horse's head is that running off the forehead (1). Nearly always this line is slanted at 45° provided the horse is standing normally. Having drawn line 1, draw line 2. The heavier the horse (draft variety), the more parallel and farther apart lines 1 and 2 will be. Line 3 may be less than 1/2 of line 4 in a light riding horse or more than 1/2 of line 4 in a heavy draft horse. (Sketch lightly)

Next, sketch a little triangle in front of the above line 3. Line 6 of that triangle extends to join line 7 to make the chin. Notice that, as underdrawing, short line 7 may be parallel with line 5. About midway along the remainder of the original line 2, draw arc 8. This is to be the bottom of the prominent cheek bone of the lower jaw. This curve drops below straight line 2 about as far as does the little chin triangle.










Fig. 3, all the distances represented by black lines here are very much the same. It is not necessary to mathematically measure these each time. Just being aware of them helps the eye in making a quick judgment.

Fig. 4, the front tip of the nose above the lips is approximately halfway between a and b. Fig. 5, the visible chin protrusion of the horse is without bone, is flexible, and comes back as far as the mouth corner. This overall chin as compared with the rest of the head is relatively small.








Fig. 6, the most prominent bone in a profile horse head is the lower jaw. If its back line were continued, it would line up perfectly with the root of the ear (see also fig. 10). The visible part of this curve ends at the arrow which is the halfway point at the neck's top.

Fig. 7, here is a subtle curve as the lower neck line rounds behind the jaw bone. This change of di-

rection should never be a sharp angle.

Fig. 8, this 'double scallop' line is exceptionally prominent in all horses. Every good horse head under normal lighting conditions will show shadow here. It is the zygomatic arch, a fixed bone just above and behind the eye (see fig. 10).




Fig. 9, second only to the jaw bone in prominence is the facial crest ridge or zygomatic bone. This is highly conspicuous (consult fig. 10). It is a continuation of, but steps down a little from, the scallop mentioned in fig. 8. Get so you watch for this ridge whenever you're around a horse or see a picture of a horse.

Fig. 10, this is the skull fitted into the head's outline. No animal has more obvious bone emboss-

ment in his head than the horse.

Fig. 11, here is the 'change of plane' stairway where shadow is likely to occur. A little time spent pondering this will never be regretted. (Also notice the mobility of the ear.)





Fig. 12, the normal carriage of a horse's head in relation to the back of his neck (breeds vary slightly).


Fig. 13, the neck lines in relation to a horse's ears when they are facing forward. Fig. 14, the completed head simply set down, following the points mentioned in the preceding obser-


vations.

It helps to sketch experimentally on horses' heads:


- 1. Try drawing around the overall shape with general confinement lines.
- 2. The greatest expanse is through the forehead between the eyes. The lengthy nose narrows rapidly.
- 3. Here's what sticks out in the semi-front view.
- 4. Reckoning with lines a, b & c is a must.
- 5. Though there are a number of subtle changes of plane in the horse's head, the two major ones are A & B.
- 6. The longitudinal variations follow the indentions cross-sectioned by the superimposed pen lines.







Why the inclusion of figs. 1 and 2 in a book for artists? Especially, why the technical name tags to the various bones and muscles? The names could have been omitted easily enough, for to memorize them all is not nearly as important as simply to know where the "show" bones and muscles are located. If, however, the student is really interested in drawing a good horse, he not only must know where contour and mass take place, but, if his "where" is to be relied upon, he must know what makes it take place. If he checks on what makes it take place, he will remember it better if the "what" has a name. Even a 'glancing' name acquaintance



The deep muscles of of the hind quarters are identified but only suggested here. They are shown without the superficial muscles over them on page 11.

Extensor - a muscle that extends or straightens a limb or part.

Flexor - a muscle that bends a limb or part.


Posterior - situated behind. Anterior - before or toward

the front.


Dorsal - situated near or on the back.

Ventral - pertaining to the

Externus - near the outside. Internus - further enclosed.



It is surprising how many evidences of the interior one can spot in a well-formed horse in running trim. It is good practice to go back and forth from fig. 3 to figs. 1 & 2 for comparison purposes. Then seek to recall the study when drawing your own horse.




EASY FOLLOW-THROUGH STEPS IN DRAWING THE HORSE




1. Lightly sketch a rectangle with "run-over" lines.

3. Add the breast line (a), the belly line (b) and the buttocks line (c).



2. About midway in the front find the shoulder point (a). Topping the two verticals will be


the withers (b) and the apex of the hips (c).



4. Sketch the neck and head (a-e). In many horses the neck is not too much longer than the head (see upper right diagram). Establish the elbow (f)

and stifle or patella (g).








Sketch two sweep lines (front A and back A).

The back one should angle out more than the one in front and should be more curved. Add two fetlock knobs (a). Now, start developing the legs A through D. Notice the hoof (c) is, in each case, in front of the sweep line (step C). In D-front find the knee (d), and in D-back find the hock (d). Also, connect the fetlock with the hoof by two short parallel lines (e). This approach to drawing a horse's foot will save infinite trouble later on. Study the enlargement E and F.


6. Add a few finishing touches, keeping the final concept simple. Try several drawings until they look right.









Some authorities say that from a standing position a horse will first raise a hindfoot, others say a forefoot when going into a walk. The artist is more concerned about how the horse looks during the walk. If by now the student has not learned the support law regarding animals in motion mentioned on p. 31, par. 2 or p. 54, par. 1, it should be reviewed. Notice how this is being illustrated in figs. 2 & 6 and 4 & 8. In the walk two or three feet are always on the ground. A slow walk always has three on the ground. In the fastest horse-walk it is possible that only two feet are on the ground at any time. If a horse is to be drawn to look like he is walking, there needs to be a more pronounced vertical feeling in the total of the legs PLUS the aforementioned ground contact. This doesn't mean stiff-leggedness. Compare the walk with the trot, canter and run. See how these three gaits either have: 1. More diagonal feeling in the total of the legs, 2. More fold up or bend in the legs, or 3. More instants when the animal is completely in mid-air. For example: the back feet of fig. 1 (walk) are quite like the back feet of fig. 5 (run), p. 67. But notice the difference in the front legs. The walk has more of the vertical in the front legs, besides another ground contact there. The vertical tail (rather than 'flying') assists in the walk-look too.



In the trot the horse is completely in mid-air twice during each cycle. Opposite legs tend to imitate each other. No other gait has so much symmetry. Compare fig. 1 with 3 and 2 with 4.



The canter is really a slow gallop. The spread of the legs is less when they're extended (compare figs. 4 & 5 with figs. 6 & 7, p. 67). When the horse is completely off the ground, the legs under the body are not so tightly gathered as in the gallop (compare fig. 7 with fig. 2, p. 67).





HOW A HORSE RUNS

Since the artist is called upon to draw running horses quite often, it is well to consider some of the 'rights' and 'wrongs' which help solve the problem. First of all, the fast gallop is always one and the same as the run. Above are eight phases in the gallop's cycle. Figs. 2 & 3 are off the ground (called 'total suspension'). Admittedly, the horse does not spend 1/4 his time in mid-air. But these brief instants are of special importance to the artist. During the complete cycle of leg movements, the positions which give the greatest appearance of speed are the instants when the horse is totally suspended. Most artists give priority to some phase of this suspension period when drawing a single animal at top speed. Actually, the split moment of greatest speed is just when the horse thrusts off from his second front foot in the cycle (fig. 1), but even that position does not look as fast in art; although IT LOOKS much faster than any other position during the run where one or two feet are in contact with the ground. The reason for this is that the diagonal line running from head to hoof (fig. 1) is a lunging line forward. All other phases of the run (figs. 4 through 8 and unshown instants between) have a leg extended either: one, forward, which by the nature of things is necessary to keep the animal from falling on his face, but carries with it a 'stiff-arming' or 'breaking' look; or two, up-and-down (fig. 8), which, being a vertical, does not denote forward speed.






Fig. A is the instant after fig. 1 at the top of page. The front hoof has just left the ground, and the legs are "gathering" to make the "recovery" for earth contact again. Fig. B is almost simultaneous with fig. 3 top, but has a vertical (part of front leg) which slows down speed appearance. Fig. C illustrates that in a run a back hoof never gets in front of line "a" (elbow—arrow), nor does a front hoof get behind line "b" (stifle or kneecap—arrow). The horse's spine is not flexible like a greyhound or cheetah whose feet pass these dotted lines when animal is in suspension. Fig. D shows that the bottom—most parts of the legs and feet can line up somewhat straight across (dotted line). In fig. E the beautifully fast arrangement of feet are more-or-less confined to a circle. A to E are all horses in suspension. E's head is held high. A lower head may look faster. Never draw neck parallel to ground or nose pointing straight out like a rock



Figs. F to I are wrong and impossible in the gallop or run. Neither the front nor back legs are ever held exactly side-by-side (in this or any other gait for that matter) as we see in F's front. With a back foot in the act of coming to earth as in F, where would the front feet be? The front legs would appear to be thrashing like spokes in a wheel (see 3 at top of page). Really one front foot has just come all the way in, and the other is in the act of going out. In G the front knee never comes above the dotted line. In H the front legs never slant in together straight and unbent. In I both front legs would never be off the ground when separated to the limit as they are here, and the back legs would be far to the rear if they were so separated.




If the artist needs to draw a second horse running with or behind the first, then it is advisable to choose a position with one or two feet on the ground. One reason is for variety; the other is that it is highly unlikely that horses side-by-side would have their legs arranged identically. Note that the two back feet (J1) are never spread as far as the two front feet (K1) when on the ground in the




run. The front legs of J2 & J3 are out of order in the cycle when the back legs are thus aligned.

When the front feet are spread and on the ground (K1), this calls for both hind legs to be out, one



fully extended. K2 & K3 are in disagreement with this alignment.


When the inner front leg, in the succession, is vertical and supporting (L1), all other legs should



be extended. L2's back legs are starting to flex prematurely, and L3's rear legs are out of line for this phase in the cycle.

If the foremost of the front legs is vertical and supporting (M1), then all the other legs will be partly flexed as shown.

The hind legs would




ly flexed as shown.
The hind legs would
never come in as in
M2 nor would they
be extended as in
M3.

When the hindmost back leg is vertically below the hips and supporting (N1), the remaining back leg and




one front leg are extended toward the front and are off the ground. The other front leg is flexed with the foot flipped inward.

When the foremost back leg is vertically below the hips and supporting (O1), the remaining back leg and




remaining back leg and one front leg are extended outwardly from the body and both are close to or in contact with the ground. The other front leg is flexed with the knee raised to its apex.




Even in the fastest run, the legs on the <u>same side</u> of a horse are never apart more than at a 90° angle (see above). When the legs are fully extended, one of the front legs is in contact with the ground. And the pastern of that weight-bearing leg is bent at the fetlock to such an extent that the fetlock may come close to touching the ground. The legs are never outstretched together as we see in some ancient paintings, fig. 2, nor are they ever parallel and crossed as shown in fig. 3.


(See p. 19)





When a horse has his legs gathered (fig. 4 white), he does not appear as long in body as when he has his legs extended (fig. 4 shaded) -- both outlines are the same horse -- see the difference in length. Actually, when a horse has his legs gathered, his whole body is higher from the ground than when he is in contact with it, fig. 5. His neck is at more of an angle, and his head is higher. His hips are more bent across the croup (see dotted line). The white and shaded horse in 5 is the same horse as in 4, but the white outline is centered (in 4 the shoulder points are placed together to show the difference in length at the rear -- also, the back line of the white in 4 is superimposed on the back line of the shaded horse. Actually, with legs gathered the back line would be as in 5). Notice the dock (or root) of the tail in 5 in relation to the hips.


Figs. 6 & 7 below and at right are multi-phase diagrams meant only to point out a few facts for the artist who intends to draw a running (or galloping) horse. In 6 the legs are fully extended. In 7 the legs are bent. Some phases of the run have combinations of these (but do not use these to pick out combinations). The extended legs are never above dotted lines a and b in fig. 6. When the legs are under the body and extended, they are never above c and d, fig. 6. A bent leg on a running horse never goes above a or b in fig. 7 (this does not apply to a prancing show horse). When all the legs are gathered for midair suspension, the legs are always confined between c and d.















BEGINNING ELEPHANT DRAWING







Performing elephants in the circus are nearly always the Asiatic, more commonly called the "Indian" elephant, because India is its principle homeland (outlined in fig. 1). Some zoos have African elephants as well (fig. 2). If the artist is called upon to picture an elephant as being in Africa, he should use the kind in fig. 2. The African's ear is always considerably larger.






Observe the difference in the body's contour. A dead giveaway in identification is: the sweep underneath the African (fig. 4) making him look somewhat chinless, plus his thinner neck and head (sideview) when compared to the Indian's (fig. 3). Actually the African is larger and heavier than the Indian when both are full grown.






The very obvious rise of the spine in the two kinds marks an important difference to remember. Thinking in terms of a circle extending off the spine, one comes up with diagrams 5, the Indian elephant, and 6, the African elephant.


ELEPHANT HEAD — IN SEVEN EASY STEPS




1. To draw a front view African elephant head it helps to build on a triangle with the top AB about 1/3 AC.




2. The tusk will appear at "b". Notice that AB is equal to Ab. Eyes "a" are 1/2 way between A and b.




3. There is a strong "brow" bone which protrudes above the eye "c" and a skull indention at "d".




4. The forehead protrusions above eyes "e & f" are not nearly so prominent in African as in Indian elephant. Tusks may be varying lengths.




5. The ears of the African are enormous. Generally speaking they may be quite rounded at the margin or lap out at "g" and cut back slightly at "h".




6. Coarse ridgelike folds arc across the trunk with smaller krinkles or creases between. They begin a little below eyes and get closer together as they progress down trunk. The heavy ridgelike folds are omitted in Indian's trunk; his parallel folds are less deep and more numerous. The big African's ears may appear scalloped at lower half's outside edges.




7. The Indian elephant has high double dome considerably above the starting triangle line AB. His smaller ears set farther down on head. His tusks (male) are usually shorter. Female Indian hardly has tusks at all. Both male and female African elephants may have very long tusks.




SIMPLE ELEPHANT LINES




The Indian elephant may be started with a very simple under-structure. He has been given a short neck to better support a big head and often times weighty tusks. Since the head could never reach the groundlevel for feeding or drinking, he has been blessed with an extension hose made up of over 40,000 interwoven sinews and muscles. It may be lengthened to a degree or shortened at will. In fig. 2 see how the dome and jaw round out opposite corners of the rectangle. The legs are postlike to hold up his tremendous bulk. In fig. 2 notice the swing of the leg lines on either side of the fig. 1 columns. Directly above the legs are the sectional divisions of the body. In fig. 3 observe the planes. Look for and record these. Ponder the x's in fig. 3; these are highs or protrusions.




Above is the African elephant (dotted lines) laid over the Indian elephant (pencil lines). The chief differences can be detected readily. Indian: boxed dome with smaller ears setting forward. African: a more sloping head with larger ears setting farther back. Indian: bulky-looking jaw, shorter trunk, belly line more parallel to ground. African: smaller jaw, slightly longer trunk, belly line a little more slanting toward rear legs.






Tusks, which are the upper incisors, are not always the same shape. Some have but a slight curve, others curve out then in and the tips nearly touch each other. In some elephants (from the front) the tips may be very wide spread. Frequently a wild elephant will have a broken tusk which then may

be semi-rounded and polished by much grubbing and scraping. An African tusk may be 10 or 11 feet long and weigh up to 230 lbs. A relaxed trunk finds A, B&C parallel. The indention B often catches a bit of shadow. The tusk root appears below the eye.






TWO SPECIES MAY DIFFER IN WIDTH ELOW WRIST 1 ASIATIC 2 ASIATIC 3 AFRICAN 4 AFRICAN

(1 to 4 are front left legs; 5 to 7 back left legs)

LEG COMPARISON


Are there any differences in the legs of elephants? Since the stout, heavy bones are set nearly vertically atop each other, it would seem the limbs would be the least pliant on the outside. But such is not the case. The thick hide is still mighty loose and spongy. Whenever there is stress or strain of muscle or bone on the inside, like a suit of ill-kept clothes, the relaxed hide rumples on the outside. While all elephants' legs are quite cylindrical, the African's are a little more uniformly so, especially the front legs. At times the shape of the lower front leg and foot appear surprisingly like the little end of a wooden baseball bat (see fig. 4).


When an elephant's leg is straight, there is always some gathered skin around the joints (figs. 1 through 7). The backmost toenail may be in some cases a mere vestige overhung with cuticle (fig. 3), or it may be a fully exposed, sizeable nail (fig. 1). A closeup reveals some space between nails (see fig. 5 opposite page).




From the front, look for an overlap of line in the legs when long muscles pull at the lower leg (see checks in fig. 8). When the leg is foreshortened, the


> bags and folds of the legs are illustrated from "a" to "g" in fig. 9. Skin areas "a, b & c" roll and rumple as the monster walks. Nearly always something goes on at "d, e, f & g" in the way of surface change. There is a twist in the hinder leg, so "d" occurs. As will be pointed out later, there is a great abundance of 'extra' skin below the tail, and multiple folds may show there,"a."










When drawing an elephant from the rear, the spine is most prominent. The leaner, more active wild elephants have even a sharper backbone, especially among the African species. Observe the Indian's spine on this page as it comes on down through the tail. The skin is looser on the hind-quarters than anywhere else and is sometimes referred to as "oversized pants." Notice the big overlap of hide to the right of the tail in fig. 4. Also, it might be mentioned that at the root of the tail an extra-large widening of fat and hide often appears. The end of the tail itself may be flattened like a small paddle with long, coarse hairs coming off of it (fig. 4). Or the tail may simply end in a few straggly hairs. The tails are seldom longer than on this page. They may be shorter, a portion being lost in a fight or accident. It is always interesting to watch these giants of the animal world move their ponderous bodies about.










HOW THE ELEPHANT WALKS













An elephant can get about only by walking. He can neither trot, canter or gallop. His accelerated walk is quite fast, however, and is called the "amble." It is a wide-stepping, gliding shuffle, and for a couple of hundred yards may equal the speed of a human sprinter. In a charging huff he might reach 30 mph. His normal walk is more like 4 mph. On this page in miniature is a short-necked, thick-trunked African elephant traveling at a fast walk. From figs. 1 to 20 he is taking one stride (or the necessary steps which are required to end up with the feet in the same position as the start).













Notice again this important law which applies to the walk of most animals: If the frontmost and backmost feet are off the ground (fig. 2), the two supporting feet are always on opposite sides of the body. But if the two inmost feet are off the ground (fig. 6), the two supporting feet are always on the same side of the body. Check this out again in figs. 12 & 18.













Most animals, in their faster movements, have three or all four feet off the ground briefly at some time in the stride. The elephant, who cannot jump, never has more than two feet off the ground at one time; and, in natural locomotion, they are seldom lifted very high. Check the next facts closely:













For a good part of this walking process, the feet on one side appear to move forward together, alternating with those on the opposite side. Yet, the ankle of the foot of the back limb cannot be flipped under as the 'wrist' does for the front foot; so, stiff-leggedly, the back knee brings the lower leg forward a little ahead of the front. Then, as the front foot is flipped at the 'wrist' and is brought forward, both limbs get in line once again. Thus the elephant makes his forward progress.











Take note that when the two inmost feet are off the ground (figs. 6 & 18), the two remaining legs of support are nearly perpendicular to the ground. When the outmost feet are off the ground (figs. 2 & 12), all the legs may be at an angle with the ground, but support is still well under the huge body. Despite his tonage, this mighty mountain of life can place his big feet with delicate deliberateness when he chooses.

85


WOLF, COYOTE AND FOX HEAD - STEP-AT-A-TIME



THE WOLF'S head above is broader than the coyote's below. The ears are more rounded and the muzzle is heavier. An adult male wolf has more power in his jaws than any other canine. In the adult wolf, the nose pad exceeds an inch in diameter; whereas it is less than an inch in the coyote. The expression may be made to look more fierce by a concentration of brow lines just over the eyes. Sometimes the art call is for a savage creature -- this is perhaps unfair to the normal dispostion of the animal. The color is gray with brown or yellow tinge, but may be white or black.




THE COYOTE'S head has more pointed features than the wolf. For the size of his head, his ears are larger, and they stand noticeably erect. His muzzle is more slender. The normal set of the ears frontview is outside the head's width; in the case of the wolf, it is within the head's width. Generally speaking, the coyote's face is more plainly colored than the wolf's. His head is without the wide shag of back-up hair which we call a 'ruff.' Ordinarily an artist doesn't draw the coyote's expression as sinister as the wolf's. The color is a pale brown with intermingled gray or black with white or nearly white underparts.



THE FOX'S head has very large ears in comparison with his head size. The muzzle is more narrow than even the coyote. Though the nose pad appears pointed, the muzzle's sides are more parallel in construction (see fig. 2). At the cheeks there is a flare of fur. A very unusual aspect of the fox are his vertically contracting pupils. In bright light these pupils will reduce themselves to up-and-down slits. Both the coyote and wolf have round pupils. The coyote does not look as unkempt as the wolf. The red fox has black-rimmed ears with white inside. His face is reddish brown on top with white lower cheeks, chin and throat. He may have a black face and coat, however.





Before the student lies an animal. Then comes the first question: what sweeping lines will encase the major form (a)? And the sub-forms (b, c & d)?


Fig. 2 -- As the wolf or dog settles back comfortably, the artist becomes aware of a couple of simple triangles which help in the positioning of the legs. Also notice that the fur crest of the breast falls in the center of the front triangle. Not all kindred subjects will hold their heads identically. Some have the front neck line more perpendicular to the floor, but by-and-large, the simple triangle will apply.

Fig. 3 -- Learn to capture essential shading with but few lines. In the field, when one is holding a small sketch pad, this method is a great asset.

Fig. 4 -- An animal at rest is marvelously balanced with even distribution of weight. Observe the triangles' apexes and the four support points below them.

HAIRTRACTS

Wolf-like dogs, or we might say dog-like animals, including coyotes and foxes, since they all are so closely related, have hair tracts which are interestingly alike. This is especially noticeable in animals of similar hair-length. Softer heat-preserving fur is embedded beneath the longer rain-repelling hairs. The latter appearing predominately on the upper parts of the body. Some German Shepherd dogs possess beautiful wolf-like coats with obvious area divisions as diagramed in the rugged wolf below.



HEAD AND BODY COMPARISONS

In the left-hand column are comparative sketches of several related animals in the dog family. Most wolves (fig. 1) will grow larger than the average dog. A few male wolves have been recorded to be in excess of 160 lbs. Most wolves are under 100 lbs. as are most German shepherd dogs. It is a good-sized wolf which stands 30 inches at the shoulder.

Wolves' heads may take on different shapes, particularly at the muzzle. The wolf at left (fig. 1) has a narrow muzzle or snout; whereas the two heads (1a & 1b) at right have thicker muzzles. There is a slight arch in the shepherd's nose (fig. 2) that is peculiar to the breed, and his ears are larger than any of the animals on this page. The facial pattern of the wolf may be quite plain (1a), or it may be 'fancy' approaching that of the Eskimo dog (fig. 3 right). Examine closely all the eyes on this and the next page -- see how the 'regular' dog eyes are not as slanting as in the wolf, husky, coyote and fox.

The gray or timber wolf of the northlands may look stouter because of the dense fur which shields him from the cold. Northern wolves have lighter-colored coats. Southern races of wolves are smaller and weigh less. When the wolf runs, he holds his tail high (about level with his back); when he slows down, the tail drops. The husky (fig. 3 left) carries his tail curled over his back. Some wolves and huskies look exactly alike except for the tail. However, it is characteristic of most of the dog family to hold the tail up when playing.

The front feet of all these animals have five toes, the fifth being up and inside, not touching the ground. On the back foot there are only four toes. A wolf has hair between his toes that a dog does not have. Foxes have limited tree-climbing abilities denied other dog relatives. Still, all dog claws are non-retractile, unlike the cats

The chief difference in the wolf and the coyote (4) is in the size. The latter being much smaller, averaging about 25 lbs. Page 86 cites head contrasts. Dogs will mate with wolves and coyotes and affect their appearance, but they will not mate

which can pull theirs back.


with foxes.

GERMAN SHEPHERD

SIBERIAN HUSKY


RED FOX

In proportion to the size of the body, the fox's bushy tail is the largest. The fox's face looks a little pinched in feature arrangement. This is partially due to his extra large ears and the bush he carries for a tail at the other end. His legs are slender, however, and his feet are small. The fox comes in a great variety of kinds, colors and shades: brown, gray, blond-yellow, silver, black, white, reddish-rust and salmon-pink.





WOLF

88










There are essentially two kinds of camels. On this page is the Bactrian or two-humped camel typical of central Asia from Afghanistan to China. On the opposite page is the Arabian or dromedary of southern Asia and northern Africa. Fig. 1 is a close-up of the Bactrian which usually has more shag-hair about his head than his smoother-haired cousin. Camels have




awning-like brows and double sets of long eye lashes to cut out sun-glare and dust. Their nostrils can be closed completely during a sand storm. The humps are not water depositories as generally believed but are made up of fatty cells in the form of food reserve. Water-storing is a stomach function. Healthy Bactrian humps are bulbous and wobbly; a healthy Arabian hump is rigid and firm.

Camels vary considerably in appearance, especially the humps and hair (the latter depending in part on the time of year -- camels undergo frightful shedding). Figs. A to E show hump possibilities differing from the humps on figs. 2 & 3 below. An abundance of hair on the humps usually calls for a corresponding quantity on the head, neck and forearm. Well-fed camels have enormous humps. After long, hard desert treks the humps may

nearly disappear. A floppy, folded-over hump (E) may be partly due to old age. The shaghair is often long and frazzled as in fig. 2 or it may be woolly and bunched as in fig. 3. Proportionately the Bactrian camel has a stockier build and shorter legs than the lankier Arabian camel.











The giraffe's head has a tapering nose ending in highly flexible lips. His eyes are large and heavy-lidded possessing an undisturbed and even tenderly-expressive appearance. Both males and females have two fur-covered horns, some with a knob, others tufted. Certain giraffes have a decided hump in the middle of the forehead just below the horns. The exceptionally long neck still has only seven vertebrae, the number of all mammals, and on occasion the 'cud' may be seen strangely rising from stomach to mouth. (Also, consult fig. 5, p. 7; fig. 1, p. 15; fig. 5, p. 17)





HOW TO DRAW THE HIPPOPOTAMUS

Though the hippopotamus is supposed to be more related to the pig and the rhinoceros more related to the horse, we will place them together. The reason is, if the artistic difference is established by comparison, then the student will be better qualified to draw both. The monstrous hippo is most "unbelievable" to the eye. His immense, barrel-like body is supported by short, inadequate-looking legs having feet with four toes on each. The nostrils on his bulbous, scoop-shovel muzzle stick up as do his pig-like eyes and little ears, so that these six sense organs can

be above water while the vast hulk beneath remains hidden. All of the views, figs. 1 to 3, are built on a series of undergirding rings, since the hip-

po is such a roundly-constructed fellow. Notice the circles in the thumb-nail sketch 3a which is the base for 3b. When 'tray-

eling through'
the body think
in terms of
these circles.
For side view
see fig. 1, next
page.

Rhinos have more variation than the hippo. There are three major kinds of rhinoceroses: From Asia comes fig. 4 and is called the "Great

Indian' rhinoceros. Fig. 5 at right and fig. 2 next page are sketches of the "black" or long-lipped species. Fig. 3 next page is the "white" or square-mouthed rhino. The 'black' and 'white' are somewhat misleading designa-

tions since both are nearly the same brownish-gray in color, the latter being a bit paler. Both are from Africa and have two horns; fig. 4 has but one. The horns are not really bone-parts of the skull but

consist of congealed hair growing directly out of the skin. These horns, like people's fingernails, sometimes take on different shapes. The horns of figs. 6&7 are from the heads of the black rhino. The black and white

varieties do not have the unique sectional divisions of the hide which we see on the Great Indian rhinoceros at the right.

The rhino's open mouth is not nearly the chasm of the hippo's (see fig. 2)

He has but three useable toes on each foot.






BUILDING ON SIMPLIFIED FORMS 0

tons. Few animals have such a heavy head -- so much so that even the hippo seeks to prop it up occasionally to relieve his the hippo has much shorter legs than the rhino. His solidly-packed body may be 14 feet long overall and weigh around four neck of the strain. Compare his raised eye with the rhino's lowered eye; also his small ears with the rhino's larger ears. His color is a grayish-black with a pinkish flesh tint around his facial features. Notice that folds occur at the join-points THE HIPPOPOTAMUS -- All three of the great beasts on this page may be begun on a very similar basic plan. However, of the neck and legs.



THE 'BLACK' RHINOCEROS -- His thick skin is looser than the hippo's, but lacks the heavy armor-plate folds of the 'Great The head is relatively smaller than in 1c or 3c, is held higher, and the upper lip is prehensile, i.e., fingersecond horn emerging from the indention. He grows to be some 11 feet long and may stand over five feet at the shoulders. like in picking up leaves and twigs. He is slightly sway-backed (not so in fig. 3 below). His head is more concave with the Indian' rhino.



to the ground when he walks or runs. His mouth is broadly built for hours of grazing on the grassy plains of Africa. The ad-THE 'WHITE' RHINOCEROS -- This huge juggernaut is second in size only to the elephant in land mammals. He has an extra hump in front of his shoulders, and, from that, a long sloping forehead. He often carries his threatening horns very low ditional arch in his spine is one mark of difference. All rhinos can travel at a surprising rate of speed for a short distance. It takes a good horse to overcome them. They progress by the walk, trot and gallop.









Fig. A -- Most of the deer family has a unique back and neckline: a slight slope 1-2 on a rectangular body, a prominence at 3 and a dip at 4. Fig. B -- Other points to remember are nos. 5 to 16, especially: 5, short tail; 8 & 9, shoulder and breast protrusion;

























Keep closer body parts lighter in value; distant parts darker.


PRIMATE HEADS IN EASY SEQUENCE




THE CHIMPANZEE -- Nearly all apes and monkeys have heads consisting of a rounded skull box and a fairly flat face fronted by a part-ball muzzle. More attention will be given the chimp later, but for now, compare the simple facial beginnings of these four primates A, B, C & D. Divide the main circle into fourths, then add the rounded muzzle shape as shown. The eye orbits are on the horizontal division a, fig. 2. The chimp has a low receding forehead, big brow-ridges, deep-set eyes with multi-wrinkles beneath, flat nose devoid of fleshy wings about nostrils, thin septum between nostrils, long upper lip, wide mouth slit, minimal chin, forehead-cheek-&-chin hair, and big floppy ears.



THE SQUIRREL MONKEY -- First of all, notice the difference in the muzzles of this head and the chimp (A1). Actually, the overall head of this fellow is much, much smaller. He has a very rounded head that is bun-shaped in the back. The eyes on his short face are below the a division. Notice the outline markings around the eyes in the fig. 3's of A, B, C & D. The Squirrel monkey has vivid contrast in his facial fur and sizeable, tufted ears.



THE PATAS MONKEY -- His muzzle is long and thin compared with A1 and B1. Most of his nose appears to be on the muzzle shape. His orbits are above the a line. The top of his head is flattened (the main circle is cut off in figs. 4 & 5). He is a fairly large monkey with dignified mustache and chin whiskers.





THE CAPPED LANGUR -- Compared to the larger circle of fig. 1, his muzzle is proportionately small. Observe that his mouth line is drawn inside the main circle. His large eyes are below the a line. The cheek pouches on this slender monkey are practically non-existent. He has a funny ruff of chin and cheek hair, and over his eyes is a bunch of stiff hairs sticking up; hence the name "Capped Langur."

B

C


107






What should one look for in drawing a side-view monkey's head? The above chart offers some suggestions. A contour or an extremity of a given monkey will not necessarily stop on one of the chart numbers 1, 2 or 3, but will be in

the vicinity. Monkeys like dogs vary greatly in appearance. Anyway, above left are six monkey profiles which represent some of the many varieties. Again, a general circle is a good beginning. Alter the circle, if the subject warrants; then add the proper-sized muzzle. The eye usually will be farther forward in the profile than one might expect. Likewise, the chin probably will be smaller. On most monkeys the nose lies rather




are sometimes called the lesser apes, and the

chimpanzees, orangutans and gorillas, the greater apes. As we discuss these animals' profiles, check the various points with the front views directly across the page. The gibbon looks like a little Eskimo peeking out of a white-furred hood. He'll walk upright long after the Big-Three above have reverted to all fours. At once it is obvious that the chimp has the biggest ears of all, a surefire identification mark. Sometimes the gorilla ear looks a bit like a knot stuck on the head. The orang has the smallest ear relative to head size. Another observation is that the gorilla has the largest nose of all the primates. It is very wide-spread with gaping nostrils -- all of which appear to have been smashed by a brick. The orangutan has the dinkiest and flattest nose of all the three. The orang has the highest forehead of all with practically no brow ridge. The chimp and gorilla have immense brow ridges. The gorilla has rather deeply-sunken eye sockets; whereas the orang has eyes which set out flush with the upper face. Orang eyes are one of his unique features. They usually are encircled by light-colored skin, and they have a slightly (cont'd directly across page)



Above are four sketches of different types of chimpanzees. Like people, chimps depart from static sameness, yet they all are unmistakably chimps. Each one has big ears, heavy brow ridges, and the other individual characteristics mentioned in this section.



Figs. 5 to 9 illustrate the diversified expressions a chimpanzee may assume. These only begin to tell the story. He is incredibly capable of the craziest, zaniest "monkey-shine" faces imaginable.

Below: figs. 10 to 13 are front views of the apes.



10 GIBBON

11 CHIMPANZEE



12 ORANGUTAN





13 GORILLA


(cont'd from p. 108)
oriental aspect -- see also
blow-up of eyes on p. 112.
The orang's snout is
the most smoothly
bulbous, though like
the chimp, it is highly
flexible (see young
orang at right). The
gorilla's snout is firmer and less mobile. All the
big three have many wrinkles,
but the chimp outdoes them all.
It would take a computer to count
his wrinkles.





Young orangutan: A, Muzzle contracted; B, Muzzle partially contracted; C, Muzzle bulbous.




















ANIMAL INTERPRETATION AND ABSTRACTION

After the student has thoroughly acquainted himself with the fundamentals of animal drawing, he may wish to add his own imaginativeness to his knowledge. Just how far out he goes in leaving the beaten path is up to him. There is more enjoyment in creating something completely different when one has a store of animal information within his own mind. At least some of the animal essentials should be retained for identity. Realism, however, is not necessary in an interpretation, especially an abstraction. It is suggested that a wide variety of paper surfaces and mediums enter into the experimentation. The cat's head, fig. 3, is a "portion" drawing and quite realistic. The german shepherd in fig. 4 has been done with a different kind of pencil treatment on linen paper. The deer in figs. 1 and 5 have started to leave realism's boundaries. The same is true with the big draught horse, fig. 2, the dachshund, fig. 6, and the big cat, fig. 7. Try some innovations of your own -- it is exciting and richly rewarding!







INDEX

The animals listed on this page are among those included in this book. For divisional treatment and drawing methods consult the Contents pages.

and drawing methods consult the Contents pages.			
A	Coaita monkey, 108	1	R
Aardvark, 117	Cottontail, 114 Cow, 3, 5, 8, 16, 17, 102, 103	Impalla, 19	Rabbit, 17-19, 114
Aard-wolf, 90	Coyote, 86, 88, 90	Indian rhinoceros, 8, 96	Raccon, 16, 116 Rat, 117
African elephant, 74-81, 85 American tapir, 115	D	Irish setter, 5 Italian goat, 100	Red fox, 86, 88
Ant-eater, 115	Deer, 5, 8, 9, 15-17, 98-100		Red-fronted gazelle, 100 Rhesus monkey, 106, 110
Antelope, 16, 100, 115	Diana monkey, 110	,	Rhinoceros
Apes Chimpanzee, 107-109, 112	Dingo, 91 Dog	Jackal, 3, 91	General, 3, 8, 17, 96, 97 Black rhinoceros, 97
Gibbon, 108-110 Gorilla, 108, 109, 112, 113	General, 5, 8, 9, 11, 14-17, 88-90	Jack rabbit, 114 Jaguar, 3, 42, 44	Indian rhinoceros, 3, 96
Orangutan, 16, 108, 109, 111, 112	Boxer, 89 Bulldog, 14, 89		White rhinoceros, 97
Arabian camel, 2, 8, 9, 16, 17, 93	Cocker spaniel, 89	K	Roaring monkey, 111
Arctic fox, 91 Armadillo, 115	Eskimo dog, 88 Foxhound, 90	Kangaroo, 2, 10, 114	S
В	German shepherd, 88	Koala bear, 115 Kodiak bear, 2, 7, 9, 14-17, 48-53	Sable antelope, 100
Baboon, 10, 111	Great dane, 89 Greyhound, 1, 10, 12, 13, 19	Kudu, 18	Saiga antelope, 115 Sea lion, 16, 115
Bactrian camel, 8, 16, 17, 92	Irish setter, 5	1	Seal, 115
Badger, 116 Barbary sheep, 100	Siberian husky, 88 Dromedary camel, 93		Serval, 42, 45 Sheep, 100
Bear	Duckbilled platypus, 115	Lemur, 117 Leopard, 21, 26, 32, 38-40, 42-44	Shrew, 117
Black bear, 7, 9, 14, 15, 17-19, 47-54 Brown bear, 2, 7, 9, 14-17, 48-53	E	Leopard cat, 42, 45	Siamese cat, 21, 24 Siberian husky, 88
Grizzly bear, 2, 7, 14, 15, 17, 48-53	Elephant	Lion, 2, 8-11, 14, 16, 17, 20-23, 28-33, 35, 40, 43	Silver-backed fox, 91
Himalayan bear, 52, 53 Kodiak bear, 2, 7, 9, 14-17, 48-53	General, 2, 7, 9, 10, 15, 74-85	Llama, 100	Silver-gray fox, 91 Silver tabby cat, 25
Malayan bear, 49, 52, 53	African elephant, 74-81, 85 Indian (or Asiatic) elephant, 8, 74-84	Longhorn steer, 104 Lynx, 42, 45	Skunk, 9, 116
Polar bear, 7, 9, 10, 14-17, 48, 49,	Ermine, 117		Sloat, 117 Sloth, 115
51-53 Sloth bear, 52, 53	European bison, 6 European brown bear, 53	M	Sloth bear, 52, 53
Beaver, 17, 117	Eyra, 42, 45	Malayan bear, 49, 52, 53	Snow leopard, 42, 45 South down sheep, 100
Bison, 6, 9, 101 Black bear, 7, 9, 14, 15, 17-19, 47-54	F	Malayan tapir, 115 Mandrill, 111	Spotted hyena, 91
Blue persion cat, 25	Fawn, 98, 100	Maned wolf, 90	Squirrel, 3, 5, 9, 15, 117 Squirrel monkey, 107, 110
Bobcat, 42, 45 Bonnet monkey, 108	Fox, 19, 86, 88	Mangabey monkey, 108 Margay, 42, 45	Striped hyena, 91
Boxer (dog), 89	Foxhound, 90	Mink, 117	T
Black macaque monkey, 110 Black rhinoceros, 97	G	Mole, 117 Mongoose, 117	Tamandua ant-eater, 115
Brindled gnu, 104	Gaur, 104	Monkey	Tapir, 115
Brown bear, 7, 9, 14-17, 48-54 Brown capuchin monkey, 108	Gazelle, 9, 19, 100 Gelada baboon, 110	General, 2, 3, 9, 106-108, 110, 111 Baboon, 111	Tasmanian wolf, 91 Thylacine, 91
Buffalo (bison), 6, 9, 101	German shepherd, 17, 88	Black macaque, 110	Tiger, 20, 32, 34-40, 43
Bull, 102-104 Bull eland, 104	Gibbon, 17, 108-110 Giraffe, 3, 7, 9, 10, 15, 17, 94, 95	Brown capuchin, 108	Two-toed sloth, 115
Bulldog, 14, 89	Gnu, 104	Capped langur, 107	V
C	Goat, 100 Golden cat, 42, 45	Coaita monkey, 108 Gelada baboon, 110	Virginian fox, 91
Calf, 103	Gopher, 10, 116	Green monkey, 111	W
Camel Arabian (or dromedary) camel,	Gorilla, 108, 109, 112, 113 Great ant-eater, 115	Mandrill, 111 Mangabey, 108	Allen Ville and
2, 8, 9, 16, 17, 93	Great dane, 14, 89	Patas monkey, 107, 110	Wallaroo, 16, 114 Walrus, 115
Bactrian camel, 8, 16, 17, 92 Cape buffalo, 104	Green monkey, 111 Grizzly bear, 2, 7, 14, 15, 17, 48-53	Pig-tailed monkey, 111 Proboscis monkey, 108	Wart hog, 105
Cape hunting dog, 91	Gray fox, 88	Rhesus monkey, 106, 110	Weasel, 18 White rhinoceros, 97
Capped langur, 107 Cat (house), 16, 17, 21, 22, 24, 25	Greyhound, 1, 10, 12, 13, 19 Ground hog, 116	Roaring monkey, 111 Squirrel monkey, 107, 110	Whitetail deer, 98
Cat	Guinea pig, 116	Yellow-tailed howler, 108	Wild boar, 3, 105 Wild bull, 104
General, 2, 3, 8-10, 20-22, 24, 25,	H	Moose, 16, 98 Mountain lion (or puma), 14, 18, 19,	Wolf, 7, 14, 18, 86-88, 90
Bobcat, 42, 45	Hamster, 117	22, 26	Wolverine, 116 Woodchuck, 116
Cheetah, 14, 19, 42, 44 Clouded leopard, 42, 44	Hippopotamus, 15-17, 96, 97 Horse, 2, 5, 9-11, 15-17, 19, 55-72	Mouse, 17, 117 Mule deer, 99	
Eyra (otter cat or jaguarundi), 42, 45	Horse breakdown (for divisional treat-		Υ
Golden cat, 42, 45 Jaguar, 3, 40, 42, 44	ment of other animals refer to contents pages):	0	Yellow-tailed howler, 108
Leopard, 21, 26, 32, 38-40, 42-44	Simple sections, 2, 5, 58, 62	Ocelot, 42, 44	Z
Leopard cat, 42, 45 Lion, 2, 8-11, 14, 16, 17, 20-23,28-33,	Proportions, 5, 58, 72 Name parts, 61	Okapi, 95 Opossum, 116	Zebra, 73
35, 40, 43	Bones, 60, 63, 70	Orangutan, 16, 108, 109, 111, 112	
Lynx, 42, 45 Margay, 42, 45	Muscles, 11, 60, 63, 70 Legs & feet, 8, 9, 10, 15, 62, 70, 71	Otter, 117	and the same
Ocelot, 42, 44	Head, 15, 55, 56, 57, 72	P	
Pampas cat, 42, 45 Puma (cougar, panther, mountain	Eye, 17, 55 Nose, 16, 56, 57, 72	Pampas cat, 42, 45	
lion) 14, 18, 19, 22, 26	Mouth, 56, 57, 72	Panda, 115	1
Serval, 42, 45 Snow leopard, 40, 42, 45	Ear, 17, 57 Hair, 59, 61	Panther (or puma), 14, 18, 19, 22, 26 Patas monkey, 107, 110	
Tiger, 20, 32, 34-40, 43	Action	Pig, 5, 9, 16, 17, 105	/ 9
Cheetah, 14, 19, 42, 44 Chimpanzee, 107-109, 112	Walk, 64 Trot, 64	Pig-tailed monkey, 111 Polar bear, 7, 9, 10, 14-17, 48, 49, 51-53	
Chinchilla, 117	Canter, 64	Pole cat, 116	
Civit cat, 117 Clouded leopard, 42, 44	Run (or gallop), 19, 63, 65-68 Jump, 69	Porcupine, 117 Proboscis monkey, 108	A STATE OF THE STA
Cocker spaniel, 89	Rearing, 71	Pronghorn antelope, 99	4/
Couger, 14, 18, 19, 22, 26	House cat, 16, 17, 21, 22, 24, 25	Puma, 14, 18, 19, 22, 26	



